


1. Product and Company Identification

Product Name Lysol Brand III Disinfectant Spray, All Scents (Aerosol) - USA
UPC CODES Refer to section 16
CAS # Mixture
Product use Disinfectant
Manufacturer Reckitt Benckiser
 Morris Corporate Center IV
 399 Interpace Parkway
 P.O. Box 225
 Parsippany, NJ 07054-0225
 In Case of Emergency: 1-800-228-4722
 Transportation Emergencies: 24 Hour Number: North America: CHEMTREC: 1-800-424-9300
 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	* 1
Flammability	3
Physical Hazard	0
Personal Protection	B



2. Hazards Identification

Emergency overview Extensive testing has been completed to show that it is safe and effective when used as directed.

Extremely flammable.
CAUTION
 Contents under pressure. Do not puncture or incinerate container. Containers may explode when heated. Keep away from heat, sparks and flame.
 Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.
 Keep out of reach of children.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes Moderately irritating to the eyes.

Skin May cause irritation. Not a skin sensitizer based on test data.

Inhalation Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).

Ingestion Not a normal route of exposure. May cause stomach distress, nausea or vomiting.

Target organs Blood. Eyes. Liver. Respiratory system. Skin.

Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include redness, edema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

3. Composition / Information on Ingredients

Ingredient(s)	CAS #	Percent
Ethanol	64-17-5	40 - 60
Petroleum gases, liquefied, sweetened	68476-86-8	2.5 - 10
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, salts with 1,2-benzisothiazol-3(2H)-one 1,1-dioxide (1:1)	68989-01-5	0.1 - 1

4. First Aid Measures

First aid procedures

Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
Skin contact	Immediately flush with cool water for 15 minutes while removing contaminated clothing and shoes. Discard or wash well before reuse. Obtain medical attention if irritation persists.
Inhalation	Move victim to fresh air. If symptoms persist, obtain medical attention.
Ingestion	Call a physician or Poison Control Centre immediately. Have victim rinse mouth thoroughly with water. Do not induce vomiting.

Notes to physician

Contains denatured ethanol; ingestion may result in ethanol poisoning. Symptoms may be delayed.

General advice

Do not puncture or incinerate container. Keep away from sources of ignition. No smoking. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Flammable properties

Flammable aerosol by flame projection test.
Aerosol flame extension less than 18 inches (45 cm).
Containers may explode when heated.

Extinguishing media

Suitable extinguishing media Treat for surrounding material.

Unsuitable extinguishing media Not available

Protection of firefighters

Specific hazards arising from the chemical Contents under pressure. Pressurized container may explode when exposed to heat or flame. Cool containers with flooding quantities of water until well after fire is out.

Protective equipment for firefighters Firefighters should wear full protective clothing including self contained breathing apparatus.

Hazardous combustion products

May include and are not limited to: Oxides of carbon.

Explosion data

Sensitivity to mechanical impact Not available

Sensitivity to static discharge Not available

6. Accidental Release Measures

Personal precautions

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

Methods for containment

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

Before attempting clean up, refer to hazard data given above. Remove sources of ignition. Although the chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with a non-flammable absorbent such as sand or vermiculite.

7. Handling and Storage

Handling

Use good industrial hygiene practices in handling this material.

Storage

Keep out of reach of children. Do not store at temperatures above 49 °C (120.2°F). Keep away from heat, open flames or other sources of ignition.

8. Exposure Controls / Personal Protection

Exposure limits

Ingredient(s)	Exposure Limits
Ethanol	ACGIH-TLV TWA: 1000 ppm OSHA-PEL TWA: 1000 ppm
Petroleum gases, liquefied, sweetened	ACGIH-TLV Not established OSHA-PEL Not established
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, salts with 1,2-benzisothiazol-3(2H)-one 1,1-dioxide (1:1)	ACGIH-TLV Not established OSHA-PEL Not established

Engineering controls

General ventilation normally adequate.

Personal protective equipment

Eye / face protection

Not normally required when used as directed. Avoid contact with eyes. Emergency responders should wear full eye and face protection.

Hand protection

Not normally required when used as directed. Avoid contact with the skin. Emergency responders should wear impermeable gloves.

Skin and body protection

As required by employer code.

Respiratory protection

Not normally required if good ventilation is maintained. Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

9. Physical and Chemical Properties

Appearance	Aerosol.
Color	Clear, Water white
Form	Misty spray
Odor	Characteristic
Odor threshold	Not available
Physical state	Gas
pH	10.5
Freezing point	Not available
Boiling point	Not available
Flash point	18.6 °C (65.48 °F)
Evaporation rate	Not available
Flammability limits in air, lower, % by volume	3.3
Flammability limits in air, upper, % by volume	19
Vapor pressure	756 - 825 kPa
Vapor density	Not available
Specific gravity	> 1
Octanol/water coefficient	Not available
Solubility (H ₂ O)	Complete
Auto-ignition temperature	Not available
VOC (Weight %)	Not available

Viscosity	Not available
Percent volatile	Not available

10. Stability and Reactivity

Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Heat, open flames, static discharge, sparks and other ignition sources. Aerosol containers are unstable at temperatures above 49°C (120.2°F). Do not mix with other chemicals.
Incompatible materials	Oxidizers.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Ethanol	31623 ppm rat
Petroleum gases, liquefied, sweetened	Not available
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, salts with 1,2-benzisothiazol-3(2H)-one 1,1-dioxide (1:1)	Not available

Component analysis - Oral LD50

Ingredient(s)	LD50
Ethanol	3450 mg/kg mouse; 7060 mg/kg rat
Petroleum gases, liquefied, sweetened	Not available
Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, salts with 1,2-benzisothiazol-3(2H)-one 1,1-dioxide (1:1)	Not available

Effects of acute exposure

Eye	Moderately irritating to the eyes.
Skin	May cause irritation. Not a skin sensitizer based on test data.
Inhalation	Excessive intentional inhalation may cause respiratory tract irritation and central nervous system effects (headache, dizziness).
Ingestion	Not a normal route of exposure. May cause stomach distress, nausea or vomiting.
Sensitization	The finished product is not expected to have chronic health effects.
Chronic effects	The finished product is not expected to have chronic health effects.
Carcinogenicity	The finished product is not expected to have chronic health effects.

ACGIH - Threshold Limit Values - Carcinogens

Ethanol 64-17-5 A4 - Not Classifiable as a Human Carcinogen

IARC - Group 1 (Carcinogenic to Humans)

Ethanol 64-17-5 Monograph 96 [2007] (in alcoholic beverages)

Mutagenicity

The finished product is not expected to have chronic health effects. Mutagenic effects were observed in somatic and reproductive cells of live animals (rats and mice) exposed to high oral doses of ethanol.

Reproductive effects

The finished product is not expected to have chronic health effects.

Teratogenicity

The finished product is not expected to have chronic health effects. Animal studies demonstrate that ingestion of ethanol can cause embryotoxicity, teratogenicity and fetotoxicity in the presence of maternal toxicity.

12. Ecological Information

Ecotoxicity	Components of this product have been identified as having potential environmental concerns.	
Ecotoxicity - Freshwater Fish Species Data		
Ethanol	64-17-5	96 Hr LC50 Oncorhynchus mykiss: 12.0-16.0 ml/L [static]; 96 Hr LC50 Pimephales promelas:>100 mg/L [static]; 96 Hr LC50 Pimephales promelas:13400-15100 mg/L [flow-through]
Ecotoxicity - Microtox Data		
Ethanol	64-17-5	5 Min EC50 Photobacterium phosphoreum: 35470 mg/L; 30 min EC50 Photobacterium phosphoreum: 34634 mg/L
Ecotoxicity - Water Flea Data		
Ethanol	64-17-5	48 Hr LC50 Daphnia magna: 9268 mg/L; 24 Hr EC50 Daphnia magna:10800 mg/L
Environmental effects	Not available	
Aquatic toxicity	Not available	
Persistence / degradability	Not available	
Bioaccumulation / accumulation	Not available	
Partition coefficient	Not available	
Mobility in environmental media	Not available	
Chemical fate information	Not available	

13. Disposal Considerations

Waste codes	Not available
Disposal instructions	Dispose in accordance with all applicable regulations.
Waste from residues / unused products	Not available
Contaminated packaging	Not available

14. Transport Information

U.S. Department of Transportation (DOT)

UN1950, Aerosols, Class 2.1 Re-Classed as Consumer Commodity ORM-D

Transportation of Dangerous Goods (TDG - Canada)

UN 1950, Aerosols, Class 2.1 Re-Classed as Consumer Commodity/LTD. QTY.

IATA/ICAO (Air)

UN 1950, Aerosols, Flammable, Limited Quantity or Consumer Commodity, ID 8000 if acceptable to airline.

15. Regulatory Information

US Federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical Yes

CERCLA (Superfund) reportable quantity

Ammonium hydroxide: 1000.0000
Sodium hydroxide: 1000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - Yes
Pressure Hazard - Yes
Reactivity Hazard - No

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available

Clean Water Act (CWA) Not available

State regulations

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

Ethanol 64-17-5 Present (refers to solutions greater than or equal to 25% which are not beverage alcohols)

U.S. - California - Proposition 65 - Developmental Toxicity

Ethanol 64-17-5 developmental toxicity, initial date 10/1/87 (when in alcoholic beverages)

U.S. - Massachusetts - Right To Know List

Ethanol 64-17-5 Teratogen

U.S. - Minnesota - Hazardous Substance List

Ethanol 64-17-5 Present

U.S. - New Jersey - Right to Know Hazardous Substance List

Ethanol 64-17-5 sn 0844

U.S. - Pennsylvania - RTK (Right to Know) List

Ethanol 64-17-5 Present

U.S. - Rhode Island - Hazardous Substance List

Ethanol 64-17-5 Toxic; Flammable

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer

This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Further information

Caution: Keep out of reach of children. Avoid contact with eyes and skin.

UPC CODES:

19200-74186, 19200-79329, 19200-74185 - Crisp Linen - (12.5 oz., 19 oz., 6 oz.);
 19200-79132 - "To Go" - Crisp Linen - (1 oz.);
 19200-02845, 19200-79326 - Spring Waterfall - (12.5 oz., 19 oz.);
 19200-81545, 19200-81546 - Citrus Meadows - (12.5 oz., 19 oz.);
 19200-02922, 19200-79328 - Summer Breeze - (12.5 oz., 19 oz.);
 19200-80833, 19200-80834 - Early Morning Breeze - (12.5 oz., 19 oz.);
 19200-79481, 19200-79482 - Garden Mist - (12.5 oz., 19 oz.);
 19200-02291, 19200-79325 - Original Scent - (12.5 oz., 19 oz.)

FORMULA NUMBER:

0081281 (1095-047) - Crisp Linen;
 0088285 (1095-050) - "To Go" - Crisp Linen;
 0081280 (1095-046) - Spring Waterfall;
 0176000 (1338-128) - Citrus Meadows;
 0081282 (1095-057) - Summer Breeze;
 0084183 (1095-048) - Early Morning Breeze;
 0081286 (1095-052) - Garden Mist;
 0081288 (1095-058) - Original Scent

Issue date

24-Jun-2009

Effective date

15-Jun-2009

Prepared by

Reckitt Benckiser Regulatory Department 800-333-3899